



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 01

DATE: 06/14/2022

Analysis ID No. 231720
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20230436
 Page No. Page 1 of 6

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name: 1836 Kratom	Submitted Sample Name: SG
Address: 1501 Panther Loop Unit 7, Pflugerville TX 78660	Submitted Sample Lot: 181901
Phone Number: 512-704-3680	Submitted Sample Description: Light Green Powder in Retail Packaging; Stored at Rm Temp
Contact Name / Email: Jeremy Steding / info@1836kratom.com	Submitted Sample Product Type / Matrix: Kratom Leaf Powder/ Plant Matter

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.284 w/w% 12.842 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.230 w/w% 2.295 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.211 w/w% 2.109 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.461 w/w% 4.606 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.019 w/w% 0.191 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.204 w/w% 22.042 mg/g	Results Reported

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	505 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Esherichia coli (E. coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 01

DATE: 06/14/2022

Analysis ID No. 231720
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20230436
 Page No. Page 2 of 6

HEAVY METALS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	669.1 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	16.8 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	507.5 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	15.3 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 200,000 ppb	1,672.3 ppb	PASS

PESTICIDE ASSAY						
Analysis	Test Method	LOD	LOQ	Specifications	Test Results	Pass / Fail
Acetamiprid	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Aldicarb	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Azoxystrobin	LC-MS/MS & GC-MS/MS	0.003 ppm	0.010 ppm	NMT 0.200 ppm	< LOQ	PASS
Bifenazate	LC-MS/MS & GC-MS/MS	0.002 ppm	0.005 ppm	NMT 0.200 ppm	< LOQ	PASS
Boscalid	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Carbaryl (Sevin)	LC-MS/MS & GC-MS/MS	0.040 ppm	0.100 ppm	NMT 0.500 ppm	< LOQ	PASS
Carbofuran	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Chlorantraniliprole	LC-MS/MS & GC-MS/MS	0.040 ppm	0.100 ppm	NMT 0.200 ppm	< LOQ	PASS
Chlorpyrifos	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.600 ppm	< LOQ	PASS
Cypermethrin	LC-MS/MS & GC-MS/MS	0.009 ppm	0.025 ppm	NMT 18.0 ppm	< LOQ	PASS
Diazinon	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 2.600 ppm	< LOQ	PASS
Dichlorvos	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.100 ppm	< LOQ	PASS
Ethoprophos (Prophos)	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS
Etofenprox Fipronil	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 1.000 ppm	< LOQ	PASS
Fonicamid	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 1.000 ppm	< LOQ	PASS
Imidacloprid	LC-MS/MS & GC-MS/MS	0.002 ppm	0.005 ppm	NMT 0.400 ppm	< LOQ	PASS
Metalaxyl	LC-MS/MS & GC-MS/MS	0.040 ppm	0.100 ppm	NMT 0.200 ppm	< LOQ	PASS
Methiocarb	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.400 ppm	< LOQ	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA
 Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 01

DATE: 06/14/2022

Analysis ID No. 231720
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20230436
 Page No. Page 3 of 6

PESTICIDE ASSAY						
Analysis	Test Method	LOD	LOQ	Specifications	Test Results	Pass / Fail
Methomyl	LC-MS/MS & GC-MS/MS	0.070 ppm	0.200 ppm	NMT 0.400 ppm	< LOQ	PASS
Methyl parathion	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 8.500 ppm	< LOQ	PASS
Myclobutanil	LC-MS/MS & GC-MS/MS	0.002 ppm	0.005 ppm	NMT 0.300 ppm	< LOQ	PASS
Oxamyl	LC-MS/MS & GC-MS/MS	0.090 ppm	0.250 ppm	NMT 1.000 ppm	< LOQ	PASS
Permethrin (mix of isomers)	LC-MS/MS & GC-MS/MS	0.007 ppm	0.020 ppm	NMT 1.100 ppm	< LOQ	PASS
Pyridaben	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Spiroxamine	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 2.000 ppm	< LOQ	PASS
Tebuconazole	LC-MS/MS & GC-MS/MS	0.002 ppm	0.005 ppm	NMT 0.400 ppm	< LOQ	PASS
Thiacloprid	LC-MS/MS & GC-MS/MS	0.020 ppm	0.050 ppm	NMT 0.200 ppm	< LOQ	PASS
Thiamethoxam	LC-MS/MS & GC-MS/MS	0.009 ppm	0.025 ppm	NMT 0.200 ppm	< LOQ	PASS

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
1,1-Dichloroethene	USP <467> by GC-MS	0.020 ppm	NMT 8 ppm	< LOQ	PASS
1,1,1-Trichloroethane	USP <467> by GC-MS	3.75 ppm	NMT 1,500 ppm	< LOQ	PASS
1,2-Dichloroethane	USP <467> by GC-MS	0.013 ppm	NMT 5 ppm	< LOQ	PASS
Benzene	USP <467> by GC-MS	0.005 ppm	NMT 2 ppm	< LOQ	PASS
Carbon tetrachloride	USP <467> by GC-MS	0.010 ppm	NMT 4 ppm	< LOQ	PASS
1,2-dichloroethene (E,Z)	USP <467> by GC-MS	4.675 ppm	NMT 1870 ppm	< LOQ	PASS
1,2-Dimethoxyethane	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,2,3,4-tetrahydronaphthalene	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,4-Dioxane	USP <467> by GC-MS	0.95 ppm	NMT 380 ppm	< LOQ	PASS
2-Hexanone	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
4-methyl-2-pentanone	USP <467> by GC-MS	12.5 ppm	NMT 4,500 ppm	< LOQ	PASS
Acetonitrile	USP <467> by GC-MS	1.025 ppm	NMT 410 ppm	< LOQ	PASS
Chlorobenzene	USP <467> by GC-MS	0.9 ppm	NMT 360 ppm	< LOQ	PASS



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 01

DATE: 06/14/2022

Analysis ID No. 231720
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20230436
Page No. Page 4 of 6

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Chloroform	USP <467> by GC-MS	0.15 ppm	NMT 60 ppm	< LOQ	PASS
Cumene	USP <467> by GC-MS	0.175 ppm	NMT 70 ppm	< LOQ	PASS
Cyclohexane	USP <467> by GC-MS	9.7 ppm	NMT 3,880 ppm	< LOQ	PASS
Dichloromethane	USP <467> by GC-MS	1.5 ppm	NMT 600 ppm	< LOQ	PASS
Ethylbenzene	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Hexane, n-	USP <467> by GC-MS	0.725 ppm	NMT 290 ppm	< LOQ	PASS
Methanol	USP <467> by GC-MS	7.5 ppm	NMT 3,000 ppm	< LOQ	PASS
Methylcyclohexane	USP <467> by GC-MS	2.95 ppm	NMT 1,180 ppm	< LOQ	PASS
Nitromethane	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
Pyridine	USP <467> by GC-MS	0.50 ppm	NMT 200 ppm	< LOQ	PASS
Tetrahydrofuran	USP <467> by GC-MS	1.8 ppm	NMT 720 ppm	< LOQ	PASS
Toluene	USP <467> by GC-MS	2.225 ppm	NMT 890 ppm	< LOQ	PASS
Trichloroethene	USP <467> by GC-MS	0.20 ppm	NMT 80 ppm	< LOQ	PASS
Xylene, m-	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, o-	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, p-	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
1-Butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Pentanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanone	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-methyl-1-propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
3-methyl-1-butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Acetone	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 01

DATE: 06/14/2022

Analysis ID No. 231720
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20230436
 Page No. Page 5 of 6

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Anisole	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl formate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Heptane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isobutyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isopropyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Methyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
N,N-Dimethylsulfoxide	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Pentane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
t-Butyl Methyl Ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, iso-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propane	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	Santé Sample ID: 231720 Receipt Date: 06/02/2023/ 03:00 PM CST / J. Leiva Receipt Condition: Good Analysis Start Date: 06/03/2023

ADDITIONAL REPORT NOTES
<p>The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).</p> <p>©2020 Santé Laboratories, LLC – All Rights Reserved</p>

CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 01

DATE: 06/14/2022

Analysis ID No. 231720
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20230436
Page No. Page 6 of 6

VERSION HISTORY


Version	Effective Date	Summary of Changes
00	06/13/2022	Initial Release
01	06/14/2023	Microbiological, Heavy Metals, Pesticide, & Residual Solvents Assay Added.

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY

DocuSigned by:



Yvonne Rivera

E49DDA845186484...

Data Management Specialist
Santé Laboratories

14 June 2023 | 7:56:50 PM PDT

Date