

SAMPLE DESCRIPTION #9 Red Kratom
SD NA



SAMPLE DATE

DATE RECEIVED 3/30/2020

REFERENCE NUMBER #9 Red Kratom SD NA [REDACTED] **Customer PO** [REDACTED]

TEMPERATURE AT RECEIVING

Test Requested	Test Method	Results	Ref Number	Start Date
Lead		0.839 ppm	MS03-14	3/31 7:00 AM
	Analyst: 45			
Nickel		2.03 ppm	MS03-14	3/31 7:00 AM
	Analyst: 45			
Vanadium		<0.5 ppm	MS03-14	3/31 7:00 AM
	Analyst: 45			
Mitragynine		1.32 %	DF02:37	3/31 12:01 PM
	Analyst: 42			
Salmonella:AOAC 011404	AOAC 011404	Negative/25g		3/30 5:01 PM
	Analyst: 43			Kit Lot Number: SSP-468

SAMPLE DESCRIPTION #9 Red Kratom
SD NA



SAMPLE DATE

DATE RECEIVED 3/30/2020

REFERENCE NUMBER [REDACTED]

TEMPERATURE AT RECEIVING

Test Requested	Test Method	Results	Ref Number	Start Date
BAM:Aerobic Plate Count	^BAM Ch.3 Analyst: 44	Log: 3.5 3800 cfu/g		3/31 3:36 PM
BAM:Mold	^BAM Ch. 18 Analyst: 06	Log: 3.0 1100 cfu/g		3/31 3:59 PM
BAM:Yeast	^BAM Ch. 18 Analyst: 06	Log: <2.0 <100 cfu/g		3/31 3:59 PM
Coliform	^AOAC 991.14 Analyst: 44	Log: <2.0 <100 cfu/g		3/31 12:05 PM
Escherichia coli - Generic:USP 2022	USP 2022 Analyst: 43	Negative/25g		3/30 5:01 PM
Heavy Metals Kratom				3/31 1:18 PM
	Analyst: 45			
Arsenic		0.608 ppm	MS03-14	3/31 7:00 AM
	Analyst: 45			
Chromium		1.20 ppm	MS03-14	3/31 7:00 AM
	Analyst: 45			
Cobalt		<0.5 ppm	MS03-14	3/31 7:00 AM
	Analyst: 45			