



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 07/15/2021

Analysis ID No. 212321
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20210617
 Page No. Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Steding & Sons Mercantile	Kratom Leaf Powder
Address:	Submitted Sample Lot:
13200 Pond Spring Rd. #E39, Austin, Texas 78729 USA	G 151917
Phone Number:	Submitted Sample Description:
512-704-3680	Powder in Sealed, Brown Mylar Pouch; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Jeremy Steding / info@1836kratom.com	Kratom Leaf Powder / Plant Matter

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.503 w/w% 15.030 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.321 w/w% 3.205 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.174 w/w% 1.744 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.408 w/w% 4.081 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.01 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.01 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.01 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.406 w/w% 24.060 mg/g	Results Reported

HEAVY METALS					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	416.4 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	17.6 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	34.1 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	193.8 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	10 ppb	NMT 200,000 ppb	2,461.6 ppb	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA
 Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 07/15/2021


Analysis ID No. 212321
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20210617
Page No. Page 2 of 2


MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	40,667 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	60 CFU/gm	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	1,007 CFU/gm	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10g	Absent	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25g	Absent	Absent	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	Santé Sample ID: 212321 Receipt Date: 07/09/2021 / 11:00 AM CST / S. ORTEGA Receipt Condition: Good Analysis Start Date: 07/09/2021

ADDITIONAL REPORT NOTES
<p>The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>.</p> <p>Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).</p> <p>©2021 Santé Laboratories, LLC – All Rights Reserved</p>

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	07/15/2021	Initial Release

PRODUCT SAMPLE / IMAGE


REVIEWED AND APPROVED BY		
DocuSigned by:  Brian Sloat, Ph.D. Chief Scientific Officer / Quality Manager Santé Laboratories	7/15/2021 Date	DD-MM-YY