

CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 02/07/2022
 Analysis ID No.
 220305

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220083

 Page No.
 Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Steding & Sons Mercantile	Sand Panther's Super Gold For Mellow Cats, 4 oz / 112 g
Address:	Submitted Sample Lot:
13200 Pond Springs Rd. #E39, Austin, Texas 78729 USA	SP151918 B2
Phone Number:	Submitted Sample Description:
512-704-3680	Powder in Retail, Mylar Pouch W/ Twist Cap; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Jeremy Steding / info@1836kratom.com	Kratom Powder / Leaf Powder

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.161 w/w% 11.609 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.232 w/w% 2.323 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.184 w/w% 1.841 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.451 w/w% 4.509 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.01 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.01 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.010 w/w% 0.102 mg/g	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.023 w/w% 0.229 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.061 w/w% 20.612 mg/g	Results Reported

HEAVY METALS					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	653.1 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	21.9 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	22.9 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	333.3 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	10 ppb	NMT 200,000 ppb	2,163.4 ppb	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 02/07/2022
 Analysis ID No.
 220305

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220083

 Page No.
 Page 2 of 2

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	86,000 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	74,500 CFU/gm	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	7,500 CFU/gm	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10g	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25g	Absent in 25 gm	Absent	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION	
Santé Laboratories	Santé Sample ID: 220305	
8201 East Riverside Drive, STE 650	Receipt Date: 01/24/2022 / 05:06 PM CST / M. Cardona	
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 01/31/2022	

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical extracts. ©2021 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	02/07/2022	Initial Release

REVIEWED AND APPROVED BY		
DocuSigned by:		
Brian Sloat	07 February 2022 5:52:35 PM PST DD-MM-YY	
Brian Sloat, Ph.D. 1DA7685D65C740B	Date	
Chief Scientific Officer / Quality Manager		
Santé Laboratories		

PRODUCT SAMPLE / IMAGE

