

CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 01 DATE: 02/22/2022
 Analysis ID No.
 220541

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220161

 Page No.
 Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Steding & Sons Mercantile	1836 Kratom; Irene's Good Night, 4oz.
Address:	Submitted Sample Lot:
13200 Pond Springs Rd. #E39, Austin, Texas 78729 USA	IG151918 B2
Phone Number:	Submitted Sample Description:
512-704-3680	Botanical Powder in Retail Jar W/ Twist Cap; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Jeremy Steding / info@1836kratom.com	Kratom Powder / Leaf Powder

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.026 w/w% 10.261 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.207 w/w% 2.069 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.159 w/w% 1.590 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.370 w/w% 3.701 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.01 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.01 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.010 w/w% 0.097 mg/g	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.015 w/w% 0.150 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.787 w/w% 17.867 mg/g	Results Reported

HEAVY METALS					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	605.1 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	20.1 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	23.1 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	298.7 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	10 ppb	NMT 200,000 ppb	2,275.6 ppb	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com



CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 01 DATE: 02/22/2022
 Analysis ID No.
 220541

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20220161

 Page No.
 Page 2 of 2

DD-MM-YY

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,00 CFU/gm	278,500 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	95,000 CFU/gm	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	4,900 CFU/gm	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10g	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/10g	Absent in 10 gm	Absent	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION	
Santé Laboratories	Santé Sample ID: 220541	
8201 East Riverside Drive, STE 650	Receipt Date: 02/10/2022 / 09:19 AM CST / M. Cardona	
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 02/14/2022	

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients, except salmonella due to limited material. TNTC = Too Numerous To Count and exceed specification limits. ©2021 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY				
Version Effective Date Summary of Changes				
00	02/18/2022	Initial Release		
01	02/22/2022	Updated Microbiology Results		

REVIEWED AND APPROVED BY

22 February 2022 | 6:44:38 PM PST

Date

Brian Sloat, Ph.D. — 1DA7685D65C740B... Chief Scientific Officer / Quality Manager Santé Laboratories

DocuSigned by:

Brian Sloat

<image>