



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 09/28/2021

Analysis ID No. 213371
 TDA License No. 2020002
 ISO/IEC No. 1055838
 Purchase Order: 20210847
 Page No. Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Steding & Sons Mercantile	Green Means Go, Powdered Tea Leaf, 4oz.
Address:	Submitted Sample Lot:
13200 Pond Spring Rd. #E39, Austin, Texas 78729 USA	GM151917 B
Phone Number:	Submitted Sample Description:
512-704-3680	Powder in Sealed Mylar Pouch; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Jeremy Steding / info@1836kratom.com	Kratom Leaf Powder / Plant Matter

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.487 w/w% 14.868 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.288 w/w% 2.881 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.207 w/w% 2.068 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.446 w/w% 4.457 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.01 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.01 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.010 w/w% 0.104 mg/g	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.045 w/w% 0.452 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.483 w/w% 24.830 mg/g	Results Reported

HEAVY METALS					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	690.0 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	19.6 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	15.5 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	220.3 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	10 ppb	NMT 200,000 ppb	1,016.3 ppb	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA
 Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 09/28/2021

Analysis ID No. 213371
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20210847
Page No. Page 2 of 2

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	9,165 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	60 CFU/gm	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	420 CFU/gm	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10g	Absent	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25g	Absent	Absent	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	Santé Sample ID: 213371 Receipt Date: 09/21/2021 / 12:46 PM CST / M. Cardona Receipt Condition: Good Analysis Start Date: 09/22/2021

ADDITIONAL REPORT NOTES
<p>The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).</p> <p>©2021 Santé Laboratories, LLC – All Rights Reserved</p>

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	09/28/2021	Initial Release

PRODUCT SAMPLE / IMAGE


REVIEWED AND APPROVED BY
<p>DocuSigned by: <i>Brian Sloat</i></p> <p>Brian Sloat, Ph.D. Chief Scientific Officer / Quality Manager Santé Laboratories</p> <p>28 September 2021 6:23:13 PM PDT Date DD-MM-YY</p>